

OUTLINE

Sex and media Sexual activities Teenage fertility Knowledge of HIV/STDs Summary and conclusions


Demographic Research & Development Foundation

University of the Philippines Population Institute


University of the Philippines Population Institute (UPPI) Demographic Research and Development Foundation (DRDF) **#YAF\$4**



1 in 3 Region III youth has read pornographic materials











More than half have watched x-rated videos




Demographic Research & Development Foundation


University of the Philippines Population Institute




Region III has the 3rd biggest proportion of youth who visited websites with sexually-explicit content









Proportion of youth who have sent or received sex videos in Region III closely resembles the national average.



Demographic Research & Development Foundation


University of the Philippines Population Institute





#YAFS4


More than 2 in 5 youth in Region III have sexual experience




Demographic Research & Development Foundation

University of the Philippines Population Institute

Region III youth are the 2nd most sexually experienced in the country






Early sex experienceHD SEX BEFORE AGE 15HD SEX BEFORE AGE 1529.52.620.52.620.53.6MalFenalBet SexesMalFenalBet SexesMalFenalBet SexesMalFenalBet Sexes

Demographic Research & Development Foundation

University of the Philippines Population Institute


University of the Philippines Population Institute (UPPI) Demographic Research and Development Foundation (DRDF) **#YAF\$4**

2 in 5 Region III youth have engaged in premarital sex




Premarital sex is more common among the males and the older cohort

ndation • University of the Philippines Po




#YAFS4

Region III ranks 2nd in the prevalence of PMS among the youth




ion
Iniversity of the Philippines Population Instit

More than 4 in 5 of Region III youth's 1st premarital sex were unprotected against pregnancy and/or STIs





Demographic Research & Development Foundation

University of the Philippines Population Institute



Paying for sex is far more prevalent among males and older youth.






Region III youth have also engaged in other risky sexual activities

- 4.7% have engaged in casual sex (Philippines: 7%)
- 3.1% have FUBU experience (Philippines: 4%)
- 4.9% of male youth have MSM experience (Philippines: 5%)
- 1.2% of ever-married youth (including those living-in) have extramarital sex experience (Philippines: 3%)
- Most of these risky sexual activities are unprotected against the risk of pregnancy and/or STIs


#YAFS4


Demographic Research & Development Foundation

University of the Philippines Population Institute




Substantial rise in teenage fertility in Region III





The proportion of teenage females in Region III who have begun childbearing generally increases with age




Demographic Research & Development Foundation

University of the Philippines Population Institute

#YAF\$4


Teenage fertility in Region III is above the national average




Demographic Research & Development Foundation • University of the Philippines Population Institute




Region III has the third biggest proportion of youth who have heard of AIDS




Awareness of AIDS among Region III youth has been declining






1 in 5 Region III youth has comprehensive and correct knowledge of HIV-AIDS



Demographic Research & Development Foundation


University of the Philippines Population Institute


Almost 2 in 5 Region III youth think AIDS is curable



Only 3 in 10 Region III youth discuss HIV-AIDS with other people

dation • University of the Philing





SUMMARY & CONCLUSIONS

- There is a heightened, bolder, and wider range of sexual behaviors among the youth including those that use new forms of information and communication technology (ICT)
- These new technologies have given rise to new forms of sexual activity and new means of meeting sexual partners that could increase the risk of adverse consequences, especially under a context of low prevalence in the use of protection
 - More than 4 in 5 Region III youth who used some form of protection during first PMS used condoms.

Demographic Research & Development Foundation

University of the Philippines Population Institut

#YAF\$4

#YAFS4

#YAF\$4

SUMMARY & CONCLUSIONS

- HIgh prevalence of sexual activity in various forms may indicate new normative standards regarding sex
 - Norms around marriage may also be changing as indicated by a higher proportion of the living-in than the formally married not only in Region III but in the rest of the country as well
- The high PMS prevalence, exceeding the national average, is likely a major contributor to the high level in in teenage fertility which exceeds the national average.

SUMMARY & CONCLUSIONS

- Awareness of AIDS is still high.
- Poor knowledge of HIV-AIDS as misconceptions about HIV transmission are still common among the youth
- Majority of the youth think they have immunity from HIV

Demographic Research & Development Foundation

University of the Philippines Population Institute

SUMMARY & CONCLUSIONS

Of the 1,928,626 youth in Region III,

- 758,000 youth have engaged in premarital sex
 - Of these, more than 622,000 did not use any form of protection during their 1st premarital sex
- Nearly 36,000 youth have commercial sex experience
- Around 91,000 youth have casual sex experience
- Nearly 60,000 youth have FUBU experience

Of the 979,485 male youth, nearly 48,000 have MSM experience

Of the 497,995 females age 15-19, more than 75,000 have begun childbearing





